

Package: irpfR (via r-universe)

June 3, 2026

Title Access to the Great Numbers of Brazilian Individual Income Tax (IRPF)

Version 0.1.1

Description Provides functions to download, clean, and structure open data from the Brazilian Federal Revenue (Receita Federal do Brasil - RFB) regarding Personal Income Tax (IRPF) statements. Includes a data dictionary and categorized metadata for several sections such as assets, rights, debts, and income brackets. More information about the data source can be found at <https://dados.gov.br/dados/conjuntos-dados/grandes-nmeros-do-imposto-de-renda-da-pessoa-fsica>.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Imports dplyr, httr2, janitor, magrittr, readr, tidyr, rlang, tidyselect, tibble

Suggests knitr, rmarkdown, spelling, testthat (>= 3.0.0)

Config/testthat/edition 3

Depends R (>= 3.5)

Language en-US

URL <https://github.com/luabragadeoliveira/irpfr>

BugReports <https://github.com/luabragadeoliveira/irpfr/issues>

VignetteBuilder knitr

Config/pak/sysreqs libicu-dev libssl-dev libx11-dev

Repository <https://luabragadeoliveira.r-universe.dev>

Date/Publication 2026-04-25 18:58:35 UTC

RemoteUrl <https://github.com/luabragadeoliveira/irpfr>

RemoteRef HEAD

RemoteSha 0b6c26c3dd6b27fd4b8e6377bef06e9491dde13b

Contents

| | |
|------------------------|---|
| get_irpf | 2 |
| get_metadata | 2 |
| get_sections | 3 |

| | |
|--------------|----------|
| Index | 4 |
|--------------|----------|

| | |
|----------|-------------------------------------|
| get_irpf | <i>Download and Clean IRPF Data</i> |
|----------|-------------------------------------|

Description

This function connects to the Brazilian Federal Revenue (RFB) open data server, downloads the CSV for the requested section, and performs data cleaning (standardizing names, pivoting to tidy format, and adjusting currency scales).

Usage

```
get_irpf(section)
```

Arguments

section A string representing the section name (e.g., "bens_e_direitos").

Value

A tidy tibble with columns: ano_calendario, atributo, and valor.

Examples

```
df <- get_irpf("bens_e_direitos")
head(df)
```

| | |
|--------------|---|
| get_metadata | <i>Get Metadata for a Specific IRPF Section</i> |
|--------------|---|

Description

Returns a detailed dictionary of all attributes (columns) present in a specific IRPF data section.

Usage

```
get_metadata(section)
```

Arguments

section A string representing the section name (see get_sections()).

Value

A tibble with columns atributo and descricao.

Examples

```
get_metadata("bens_e_direitos")
```

get_sections *List Available IRPF Data Sections*

Description

This function returns a table containing all the available data sections that can be retrieved from the Great Numbers of Brazilian Individual Income Tax (IRPF) through this package.

Usage

```
get_sections()
```

Value

A tibble with two columns: secao (the key to be used in other functions) and descricao (a brief explanation of the data).

Examples

```
get_sections()
```

Index

`get_irpf`, 2
`get_metadata`, 2
`get_sections`, 3